

## **CONTENTS**

Preparation		P 3
Oils	Hard drying, nourishing oils to beautify and protect timber. Perfect for decking, veranda floorboards and all exterior timber.	P3-4
Finishes	Finishes that transform the look of exterior timber and protect against the destructive effects of weathering. Suitable for all exterior timber.	P 5-6
Speciality Oils	Oils with added water repellence for surfaces that need extra protection such as outdoor furniture and cedar cladding.	P 7-8
Stains	Rich colour to transform the look of timber whilst maintaining its natural grain. Suitable for all exterior timber.	Р9
Clear Coats: Timber	Varnishes that preserve timber with a clear protective layer. Perfect for doors, window frames, feature panels and marine timber.	P 10
Clear Coats: Stone	Sealers & top coats to prevent staining and wear on concrete, paving, slate and stone.	P 11
Product Guide		P 12

Visit us at:

pinterest.com/feastwatson www.feastwatson.com.au

FEAST WATSON

1956 Dandenong Road, Clayton, Victoria 3168 Feast Watson $^{\odot}$  is a registered trade mark.

Front cover image features Feast Watson Wet Look Deck

# Professional timber finishes

We love timber. It has been used for thousands of years for buildings, furniture and decoration and it continues its popularity today because of its versatility, its warmth, its character and its natural beauty.

Enhancing and preserving the natural beauty of timber has been Feast Watson's aim since our beginnings in Sydney in 1922. We've grown by innovating new products with advanced UV and weather resistance, durability and ease of application. Each product in this guide is designed to give a long-lasting, beautiful finish to timber.


Feast Watson products are the choice of discerning woodcare enthusiasts and trade professionals who share our love of timber. Our wide range of finishes and colours enables you to get the perfect effect for every timber project.

For further information about Feast Watson products or their application, please call our Customer Service Team, on 1800 252 502 or visit our website www.feastwatson.com.au





# OILS



As with painting, a beautiful, long-lasting finish on timber depends on preparing the surface properly. Before applying any exterior timber coating it is important to remove all the dead timber fibres and surface contaminants that discolour the timber and impede the even absorption of the coating. Feast Watson Woodclean is a powerful, oxalic acid-based preparation treatment that aids the removal of oils, mould, stains and tannins from new and weathered timber.

Ideal for rejuvenating grey, weathered timber, Woodclean is suitable for restoring decking, outdoor furniture, fences, pergolas and other exterior woodwork.

Uses:	Woodclean helps to remotannins from new timber grey, weathered timber	
Coverage:	1 litre of Woodclean dilutes to clean approximately 20m <sup>2</sup>	
Clean up:	Water	FEAST WATSON
Pack size:	1L, 4L	7/1/1/1/1
		417740



Stubborn stains and grime can be removed by using undiluted Woodclean. Ensure surface is thoroughly rinsed.



A deep penetrating, traditional oil based finish for decking and exterior timber. Traditional Timber Oil gives rich colour and preserves the natural look of timber. The added eucalyptus oil naturally dissolves gum residue and grease, ensuring a beautiful even finish. Traditional Timber Oil comes in a warm Natural colour to highlight the character of timber species.




vaturai	on	ivierbau	

Uses:	All exterior timber include steps, fences, gates, posts	
Coverage:	6-10m per litre	
Recoat:	1 hour (wipe surface)	FEAST WATSON
Dry:	18 hours	
No of coats:	2-3	RADITIONAL TIMBER OF
Clean up:	Mineral turpentine	ORIGINAL
Pack size:	4L, 10L	A long principality Galler of the a multistant principal
Durability:	***	A STORES STORE (1 STORES )



# OILS



A hard wearing, semi-transparent timber finish that enhances the natural beauty of timber whilst protecting it from Australia's harsh conditions. The rich ingredients in the modified oil formula penetrate deeply to nourish the timber, replicating it's natural defences against the effects of aging. With added water, UV, and mould resistant properties, Decking Oil weathers naturally over time and will not crack or peel.

Decking Oil is convenient to apply as it is fast drying, has low odour and all application equipment can be cleaned up with water. The durable low sheen finish is easy to clean to keep your deck looking good between coats, and future maintenance coats can be applied without complicated preparation or sanding.

Decking Oil is available in a lightly pigmented Natural colour and seven tinted timber colour tones to bring out the colour of your timber.

	alkways, steps, rails, ther exterior timber.
8-12m <sup>2</sup> per litre	
4 hour	FEAST WATSON
12 hours	
2-3	DECKING OIL
Water	LONG LASTING A
1L, 4L, 10L	They being close of bank for delays become
****	**************************************
	fences, gates and o 8-12m² per litre 4 hour 12 hours 2-3 Water 1L, 4L, 10L





Jarrah\* on Jarrah



Walnut N



Red Cedar N on Pine



Merbau\* on Merbau



on Pine



Treated Pine N on Treated Pine



on Pine



on Pine

\* Pre-packaged colour N Colour tinted from Natural

# FINISHES



A timber finish that provides a freshly coated 'wet look'. The 'wet look' gloss finish weathers naturally over time, and can be restored with a single maintenance coat. Wet Look Deck is convenient to apply as it is fast drying, has low odour and all application equipment can be cleaned up with water.



Wet Look Deck on Merbau



Wet Look Deck tinted to Jarrah on Jarrah



Wet Look Deck tinted to Merbau on Merbau

Uses:	Decking, timber walky fences, gates and other	
Coverage:	8–12m² per litre	
Recoat:	4 hours	FEAST WA
Dry:	12 hours	
No of coats:	2-3	WET LOOK
Clean up:	Water	
Pack size:	100ml, 1L, 4L, 10L	A tisher-hash that provides of brilling county has back "to all or
Durability:	***	Cines







Timber already coated with stain or oil can be coated with Wet Look Deck after the surface has weathered. See the product label or Feast Watson website for instructions.

# FINISHES



A water based timber finish that provides a grey, naturally weathered timber look and durable protection. Grey Look Deck has been formulated to weather naturally, and the intensity of the grey look will increase over time. It is ideal for protecting timber from the destructive effects of weathering whilst achieving the 'weathered look.'





Grey Look Deck on Pine

Drv:

Grey Look Deck on Spotted Gum

Uses:	Decking, timber walkways, steps, rails, fences, gates and other exterior timber.
Coverage:	8–12m² per litre
Recoat:	2 hours

No of coats:	2–3 ( <b>Note:</b> A third coat will increase the opacity of the grey finish)
Clean up:	Water
Pack size:	100ml, 4L
Durability:	***

12 hours







Perfect for already Weathered/Grey timber that has gone grey. It is not too late to protect your timber!

Use Grey Look Deck to maintain the grey look you love and add protection so your grey timber does not start to breakdown. Simply clean the timber with Woodclean, then apply two coats of Grey Look Deck!

# SPECIALITY OILS



A protective, penetrating oil that has been formulated to preserve and maintain the natural beauty of outdoor timber furniture. Feast Watson Outdoor Furniture Oil penetrates deeply to enrich the timber with a natural matt finish that is available in clear or four tinted natural timber tones. With added eucalyptus oil, it has UV and mould resistant properties and has excellent water resistance.

Outdoor Furniture Oil is available as a brush-on oil, or in a convenient spray.

Uses:	Outdoor timber barbecue trolleys	furniture, including
Coverage:	1 litre should pro for the average 5 outdoor setting	
Recoat:	12 hours	
Dry:	24 hours	FEAST WATSON
No of coats:	2	OUTDOOR FURNITURE OUTDOOR PURNITURE OF
Clean up:	Mineral turpentine	J. N.
Pack size:	300g spray, 500ml, 1L	Tambing of hash to send and prior with the send and the send an

## TIP. UV PROTECTION

Outdoor Furniture Oil Clear is not recommended to withstand direct sunlight. For added UV protection select one of the colour tinted Outdoor Furniture Oils which have higher levels of UV filters for longer lasting protection.









Hardwood on Hardwood

Redwood on Spotted Gum

Teak on Teak



Jarrah on Jarrah

# SPECIALITY OILS



Specially formulated wipes to remove the accumulated dust, dirt and grime from the surface of outdoor timber furniture. Enriched with wax and eucalyptus oil Outdoor Furniture Wipes refresh and nourish timber.


Designed to protect rough sawn-timber from weathering, Feast Watson Wood Shield Oil provides maximum water repellence for exterior timber. Wood Shield Oil is perfect for vertical timber surfaces such as rough sawn cedar weatherboards, fences, screens and doors. By deeply penetrating the timber whilst still allowing it to breathe, Wood Shield Oil reduces the timber's tendency to warp and split.


Maintenance coats can be applied easily without the need to strip or sand back the previous coatings. Wood Shield Oil is a lightly pigmented natural coloured oil that gives a matt finish. For a satin or gloss finish Wood Shield Oil can be coated with Feast Watson Weatherproof Varnish.

Uses:

Ideal for regular, convenient cleaning and refreshing of all new, oiled or stained outdoor timber furniture. For full protection

on bare or un-maintained timber use Feast Watson Outdoor Furniture Oil prior to using Outdoor Furniture Wipes.







Wood Shield Oil is ideal for use on window frames where the same finish is desired both inside and out. For a higher gloss, dressed timber can be top coated with Feast Watson Weatherproof Varnish for a Satin or Gloss finish.

# STAINS



A penetrating, semi-transparent exterior timber finish. Timber Deck & Stain adds rich colour and a subtle sheen to timber, highlighting the natural beauty of the timber grain. The two coat system is ideal for transforming the colour of timber, or rejuvenating the colour of old, weathered timber. Highly recommended for Treated Pine.

Timber & Deck Stain protects timber from the destructive effects of water, UV and mould. It is resistant to cracking, peeling and blistering and is suitable for use over bare and previously coated timber.

Timber & Deck Stain can also be used for inside/outside colour matching. It is ideal for doors, interior exposed beams, window frames and skirting boards.

Available in 4 pre-packaged colours.

Uses:	Perfect for decks and all exterior timber. Suitable for interior doors, interior exposed beams, window frames and skirting boards.
Coverage:	8–12m² per litre FEAST WATSON
Recoat:	12 hours
Dry:	24 hours DECK STAN
No of coats:	2
Clean up:	Mineral turpentine PERFECT FOR
Pack size:	250ml, 2L, 4L DECKS

#### Two coats on Merbau



Taman Merbau



Black Japan



European Oak



Swan River Jarrah

### Two coats on **Treated Pine**



Taman Merbau



Black Japan



European Oak



Swan River Jarrah



For a satin or gloss finish on vertical surfaces Timber & Deck Stain can be over coated with Feast Watson Clear Varnish (Interior) or Weatherproof Varnish (Exterior). Note: Clear Varnish and Weatherproof Varnish are NOT suitable for coating areas subject to foot traffic.

# CLEAR COATS



Satin & Gloss Marine Grade Timber Varnish. A clear, polyurethane timber finish incorporating maximum UV screening to provide excellent, long-lasting protection against the elements. Ideal for where a tough clear satin or gloss finish is required with resistance to sunlight, salt mist, chemicals, oils and solvents. Weatherproof can also be used on the inside of window frames and external doors, and to give Wood Shield Oil a Gloss or Satin finish.

Uses:	Exterior woodwork including doors, window frames, trim, panelling, gates and furniture. Also perfect for interior applications.
Coverage:	10–12m² per litre
Recoat:	12 hours
Dry:	24 hours
No of coats:	3-4
Clean up:	Mineral turpentine FEAST WATSON
Pack size:	500ml, 1L, 4L

High Gloss Marine Grade Timber Varnish. A high gloss exterior varnish that is flexible when fully cured, allowing surfaces to bend, twist, expand and contract without the coating cracking or splitting. Spar Marine Varnish is designed to lock out moisture to protect the timber from water damage, making it ideal for above water line marine applications.

Uses:	High gloss flexible varnish for all marine and exterior timber.
Coverage:	10–12m² per litre
Recoat:	12 hours
Dry:	24 hours
No of coats:	3–5
Clean up:	Mineral turpentine
Pack size:	500ml, 1L, 4L FEAST WATSON



**Stirring** – Do not shake cans as this will create air bubbles in the coating. Instead, stir contents thoroughly with a wide, flat bladed stirrer such as a wooden ruler before and during use. Be sure to stir to the bottom of the container with a scooping action.



A penetrating, clear sealer and top coat that shields porous stone, masonry and concrete from stains and traffic wear. Feast Watson Paving & Sandstone Sealer offers heavy-duty protection for high traffic areas such as driveways and garage floors. It brings out the depth of colour in natural stone with a matt finish that can be built to a gloss with additional coats.

Uses:	Exterior & interior porous stone including; concrete, sandstone, masonry pavers and natural brick.								
Coverage:	8m² per litre for cement pavers 6m² per litre for sandstone								
Recoat:	2 hours								
Dry:	8 hours								
No of coats:	2 WASHING								
Clean up:	Xylene								
Pack size:	1L, 4L, 10L FEAST WATSON								

A tough, clear, sealer and top coat designed to protect non-porous stone surfaces from weather, abrasion, food, oil, grease and household dirt. Feast Watson Slate & Pebble Sealer brings out the full colour and natural beauty of slate and stacked stone with a gloss finish.

Uses:	Exterior & interior non-porous stone including; floors, bathrooms, foyers, driveways, steps, pathways and roof tiles.							
Coverage:	10–12m² per litre							
Recoat:	2 hours							
Dry:	8 hours							
No of coats:	2							
Clean up:	Xylene							
Pack size:	1L, 4L, 10L FEAST WATSON							



**Getting it Right** - Seal all surface edges and ends as rising water through or behind coatings can cause a whitening effect to stone.

ATE & PEBBLE SEALER

# Exterior Feast Watson Product Guide

FEAST
ATSON <sup>®</sup>

MAINTENANCE	CLEARS  CLEARS  PREPARATION  &  MAINTENANCE				STAINS	FENDALES		SIIO					
			1	M	· · ·	HAT WATES	HALMANDO	in the second	Harris and American	₹ †	1	Let was	Product
Outdoor Furniture Wipes	Wooddean	Paving & Sandstone Sealer	Slate & Pebble Sealer	Spar Marine Varnish	Weatherproof Varnish	Timber & Deck Stain	Grey Look Deck	Wet Look Deck	Wood Shield Oil	Outdoor Furniture Oil	Traditional Timber Oil	Decking Oil	Product
Specially formulated wipes to remove accumulated dust, dirt and grime from the surface of outdoor timber furniture	Cleans and rejuvenates new and weathered fimber, and prepares timber for coating by removing dirr, oils, mould, tannins and other contaminants	Clear, UV resistant, heavy duty sealer	Tough, clear, UV resistant, non-yellowing acrylic sealer	High gloss flexible, marine grade timber varnish designed to withstand the rigours of sun, water and harsh outdoor treatment	A dear, polyurethane timber finish incorporating UV screening that provides excellent all round timber protection	A penetrating, semi-transparent exterior timber finish. Timber & Deck Stain adds rich colour and a subde sheen to timber	A timber finish that provides a grey, naturally weathered timber look, and protects timber from the destructive effects of weathening	A timber finish that provides a lasting freshly coated 'wet look'	A semi-transparent timber oil with added waxes for maximum water resistance, perfect for vertical surfaces	A protective, penetrating oil that has been formulated to preserve and maintain the natural look of outdoor timber settings	A traditional oil enriched with eucalyptus for a beautiful even finish to decking and exterior timber	A hard wearing modified oil that mourishes and procees decking and exterior timber and provides the convenience of fast drying, low odour and easy water wash up	Description
Ideal for regular, comenient cleaning and refreshing of all new, oiled or stained outdoor fimber furniture	All exterior timber	Sandstone floors/pavers, stamped concrete, concrete and masonry pavers, brick	Slate and pebble floors, bathrooms, foyers, driveways, steps, pathways	Marine and exterior timber above the waterline	Outloor furniture, barbeaues, doors, trim, handralls, cabin brightwork, window frames etc	Perfect for Decks. Suitable for all exterior timber and interior doors, exposed beams, window frames and skirting boards	Decking, timber walkways, steps, rails, fences, gates and other exterior timber	Decks, timber outdoor furniture, pergolas, fences and gates	Exerior woodwork including weatherboards, cladding, window frames, fascias, pergolas, doors, trim. Ideal for interior window frames and exposed beams	Timber outdoor furniture, BBQ trolless and benches	Decks, timber outdoor furniture, pergolas, fences and gates		Where To Use
				Woodclean Feast Watson Timber Primer	Woodelean Feast Watson Timber Primer Feast Watson Proofseal	Woodclean	Woodckan	Woodclean	Woodclean	Woodclean	Woodclean	Woodckan	Preparation Products
Matt, traditional oil finish     Rich colour     Semi transparent, natural look		Transparent, natural colourless look. Enhances natural heating of substrate. Satingloss (depending on substrate)	Transparent, natural colourless look Enhances natural beauty of substrate Satin finish Transparent, natural beauty of substrate Satin finish Transparent, natural colourless look and satinfactories	Transparent, natural colourless look Enhances the timber grain High gloss finish	Transparent, natural colourless look Enhances the timber grain Gloss & satin finish  Transparent, natural Gloss & satin finish	Transforms colour of timber     Adds Subtle sheen     Retains timber grain	Grey, naturally weathered look     Transforms the colour of timber	Gloss 'wet look' finish     Freshly coated 'wet timber' look     Semi transparent     Enhances timber grain	Semi transparent pigmented     Natural matt finish     Can be overcoated with     Weatherproof for a gloss or     satin finish	Semi transparent, natural look     Enhances the timber grain     Mart finish	Matt, traditional oil finish     Rich colour     Semi transparent, natural look	Low Sheen, classic finish     Semi transparent, natural look     Enhances the timber grain	Finish/ Appearance
W/ipe on	Stiff bristled brush or broom	Brush, roller, applicator, spray		biusii, ionet, spray	David sell-se	Brush, roller, applicator, spray	Brush, lambswool applicator	Brush, lambswool applicator	Brush, roller, spray	Brush	lambswool applicator	Brush,	Apply With
1	1 litre of Woodclean dilutes with four litres of water to treat 20m²/L	6-8m²/L	6-12m²/L	10-12m²/L	10-12m²/L	8-12m²/L	8-12m²/L	8-12m²/L	6-10m²/L	6-10m²/L	6-10m²/L	8-12m <sup>2</sup> /L	Approx. Coverage Rate
	Severe stains and tannin rich timbers may require a stronger mix or repeat applications	2	2	3-5	3-4	2	2-3	2-3	2-4	2	2-3	2-3	Number Of Coats
,	20 mins	2 hours	2 hours	12-24 hours	12 hours	12 hours	2 hours	4 hours	30 mins 7-10 days before applying Weatherproof	12 hours	1 hour (wipe surface)	4 hours	Re-Coat Clean Time Wit
	Water	Xylene	Xylene	Mineral turpentine	Mineral turpentine	Mineral turpentine	Water	Water	Mineral turpentine	Mineral turpentine	Mineral turpentine	Water	Clean Up With
1	IL 4L	1L, 4L, 10L	1L, 4L, 10L	500ml, 1L, 4L	500ml, 1L, 4L	250ml, 2L, 4L	100ml, 4L	100ml, 1L, 4L, 10L	1L, 4L	300g spray, 500ml, 1L	4L, 10L	1L, 4L, 10L	Up Sizes th Available